




# WCS-30LB/35

## Weapons Clearing Station Pistol and Rifle



**WCS-30LB**

**WCS-35**

---

### Designed, Tested, Australian Manufactured

---

The WCS-30LB/35 has been specifically designed to meet the needs of Law Enforcement, Correctional Facilities and Security Organisations who require the ability to load and unload a variety of Handguns, Pistol-Calibre Carbines and Shotguns up to 308 Calibre in a safe and contained manner during Training or Operations.

**Call to Order 1800 080 280**



WCS-35  
on quick detach  
Pedestal mount



For Bench mounting  
use 2 fasteners to secure

## Product Details:

**Dimensions:**

315mm Long; 270mm High; 150mm Wide

---

**Main Construction:**

Brushed Stainless Steel Tube & Base

---

**Total Ave Weight:**

8.850.kg

---

**Bushing:**

Polymer 115mm diameter hole to suit Glock & AR platforms with Lighting system. (Bushing is Field replaceable)

---

**Internal Blast Shield:**

Field Replaceable polymer disc

---

**Ballistic Media Pack:**

Field Replaceable

---

**External Fixings:**

Stainless Steel Mushroom head socket cap  
Screws 4 off

---

**Internal Fixings:**

Internal Circlips 2 off

---

**Blast Containment and Dispersal Area:**

sufficient area to enclose a Muzzle Brake up to 90mm long

---

**Maintenance tools required:**

Hex Key, large Internal Circlip pliers

---

**Accessories:**

Bolt Down Pedestal Stand with Quick detach hooks

---

## Test Data Table: Handgun

<b>Calibres NATO/US/Australia</b>	<b>Calibres Former Soviet &amp; Eastern Bloc</b>	<b>Remarks</b>
The WCS-30LB can defeat calibres from 4.6 x 30 to 50AE (Including all Pistol AP ammunition)	The WCS-30LB can defeat calibres from 5.45x25 to 9x18 (Including all Pistol AP ammunition)	Refer to test reports for further clarification Will contain full auto fire

## Test Data Table: SMG/Carbine

<b>Calibres NATO/US/Australia</b>	<b>Calibres Former Soviet &amp; Eastern Bloc</b>	<b>Remarks</b>
The WCS-30LB can defeat SMG/Carbine calibres such as 4.6x30/5.7x28/9x19/.44mag/.30M1 (Including all AP ammunition)	The WCS-30LB can be used with SMG/Carbine calibres such as 7.62x25 & 9x18 (Including all AP ammunition)	Refer to test reports for further clarification Will contain full auto fire based on A 30 round magazine

## Test Data Table: Rifle

<b>Calibres Military NATO/US/Australia</b>	<b>Calibres Military Soviet &amp; Chinese</b>	<b>Remarks</b>
The WCS-30LB can defeat the following Rifle calibres: 5.56x45/7.62x51/7.62x63/.300WM Ball, MSC, SS109, F1, F4, M80, M855 or frangible projectiles Multiple 7.62 AP	The WCS-30LB can defeat the following Rifle calibres: 5.45x39/7.62x39/7.62x54R Ball, MSC, Bi Metal core, Enhanced Penetration cores Multiple 7.62 AP	Refer to test reports for further clarification Will contain full auto fire up to 7.62 x 51FMJ M80 based on a 20 round magazine or Multiple 7.62 AP

## Test Data Table: Rifle & Shotgun

<b>Calibres Rifle Civilian</b>	<b>Calibres Shotgun</b>	<b>Remarks</b>
The WCS-30LB can defeat the following Rifle calibres: .17/ .223/.22-250/.308/.300WSM/.338Lap Mag	The WCS-30LB can defeat the following Shotgun calibres: .410/16g /20g/12g/10g All Shot & Single Slug varieties	Refer to test reports for further clarification

**Testing Performed By: Ballistic edge Research laboratory Pty Ltd (NATA accreditation 11914)**


Test Standard	Threat Level or Class	Ammunition description	Deviations
AS/NZS 2343:1997	R1	5.56 x 45 FMJ M193 @ 980m/s	10 shots fired in a 60mm area
AS/NZS 2343:1997	R	7.62 x 51 FMJ (Ball F4)	10 shots fired in a 60mm area
AS/NZS 2343:1997	S	12g OO Buckshot	
AS/NZS 2343:1997	S1	12g Single lead Slug	
AS/NZS 2343:1997	G2	.44Mag 15.6g JSP	10 shots fired in a 60mm area
NIJ 0108.01:1985	3	7.62 x 51FMJ M80(SJ) @ 830m/s	15 shots fired in a 60mm area
NIJ 0108.01:1985	Special	7.62 x 39 MSC (T56) @ 735m/s	10 shots fired in a 60mm area
NIJ 0108.01:1985	Special	5.56 x 45 FMJ (Ball F1/SS109) @ 933m/s	10 shots fired in a 60mm area
Other	Special	.300WSM 8.1g Ballistic Tip @ 1185m/s	2 shots fired in a 60mm area
NIJ 0108.01:1985	4	7.62 x 63 FMJ M2AP @ 880m/s	2 shots fired in a 60mm area
NIJ 0108.01:1985	Special	5.56 x 45 FMJ M193 @ 980m/s	10 shots fired in a 60mm area

The above tests were carried out to show the robustness of the Ballistic media and Blast shield, each test commenced with new ballistic media but with out changing the blast shield.

These **High lighted tests** were conducted consecutively on one WCS-35 with out changing the blast shield or the ballistic media.

These **High Lighted tests** were conducted consecutively on one WCS-35 with out changing the blast shield or the ballistic media.

**Pictured are the Models that we Manufacture**



**Call to Order 1800 080 280**